

**Bid Document**

<b>Bid Details</b>	
<b>Bid End Date/Time</b>	28-02-2022 14:00:00
<b>Bid Opening Date/Time</b>	28-02-2022 14:30:00
<b>Bid Life Cycle (From Publish Date)</b>	90 (Days)
<b>Bid Offer Validity (From End Date)</b>	75 (Days)
<b>Ministry/State Name</b>	Ministry Of Education
<b>Department Name</b>	Department Of Higher Education
<b>Organisation Name</b>	National Institute Of Technology (nit)
<b>Office Name</b>	Karnataka, Surathkal, Mangaluru
<b>Total Quantity</b>	8
<b>Item Category</b>	Steel Porta Cabin (Q3)
<b>MSE Exemption for Years of Experience and Turnover</b>	No
<b>Startup Exemption for Years of Experience and Turnover</b>	No
<b>Bid to RA enabled</b>	No
<b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
<b>Evaluation Method</b>	Total value wise evaluation

**EMD Detail**

Required	No
----------	----

**ePBG Detail**

Required	No
----------	----

**Splitting**

Bid splitting not applied.

**MII Purchase Preference**

MII Purchase Preference	No
-------------------------	----

**MSE Purchase Preference**

MSE Purchase Preference

Yes

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

### Steel Porta Cabin ( 8 pieces )

Brand Type

Unbranded

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	<b>Configuration of Cabin</b>	With one Room only.
	<b>Approval of Advance sample</b>	After award of contract - Seller shall have to get proto type Advance sample approved from Buyer before manufacturing / starting Bulk supplies - Buyer shall approve / provide list of modifications required within 10 days of offer of advance sample - If there is delay in approval of advance sample from Buyer side - the delivery period shall be regularized for the period of delay in sample approval., No Advance Sample, Seller agree to submit layout drawing for each TYPE/SIZE porta cabins
	<b>Time period for completion of Erection work at site by seller</b>	Within 20 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work, Within 30 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work, Within 20 days of the date of receipt of Purchase order, Within 30 days of the date of receipt of Purchase order
	<b>Suitability / structural stability / completeness of structures, the structure is intended for use in</b>	In wind condition of 55m/s - in Seismic zone V and ambient temperature range (-) 40 degree C to (+) 50 degree C - 1 M snow load standing on the roof - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition.
	Shape of Cabin	Square

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Type of slope(roof)</b>	One way slope., Two way slope., All side slope., No Slope (self draining type roof)
	Insulation of Wall / Roof / door panels	Insulation core of panel to be formed in one piece and provides desired structural and physical properties.
	<b>Storage provision</b>	1 no. Wooden Cabinet, 1 no. Steel Almirah, N.A
	<b>Provision for Power Connection</b>	The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with MS pipe from the power supply point provided by the Buyer., The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with PVC pipe from the power supply point provided by the Buyer., Provision for Power Connection not required., The seller to be liable for Electric Supply to Porta Cabin at one point only (suitable for 415 V 50 HZ for distribution of supply for various appliances)
	<b>Wiring</b>	Concealed wiring
	<b>Provision for Cable , Switches and Junction box connection</b>	Seller to make appropriate provisions for cable laying - installing meter / junction box with switches - other related electrical accessories as may be require for the power supply to the Cabin.
	<b>Other requirements</b>	All necessary required permissions from civic agencies for installation and commissioning to be arranged by seller - necessary assistance / documents required to be provided by Buyer., Not required.
	Electricity charges	N.A
PANEL MATERIAL	<b>Side wall panel material</b>	1.25 mm thick corrugated HR sheet
	<b>Door panel material</b>	Flush door 32 mm thick water proof.
	<b>Window panel material</b>	Powder coated aluminium sliding windows with 4 mm tinted Glass
	<b>Door and Window canopy material</b>	1.25 mm thick corrugated HR sheet
	<b>Floor panels material</b>	18 mm plywood with 1.5 mm vinyl sheet
	<b>Roof panel material</b>	1.25 m thick corrugated HR sheet
	End panel material	1.25 mm thick corrugated HR sheet
	<b>Insulation material for sides and End walls</b>	With 50 mm thick glass wool
	<b>Insulation material for Roof</b>	With 75 mm thick glass wool
	<b>Inside panel material for sides, end walls &amp; roof</b>	Consists of 8 mm thick pre-laminated board.
FRAME MATERIAL	<b>Roof frame</b>	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	<b>Side Panel frame</b>	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	<b>Floor panel frame</b>	MS having 50 mm x 50 mm x 1.2 mm

Specification	Specification Name	Bid Requirement (Allowed Values)
	Window panel frame	Aluminium powder coated frame glaze glass sliding windows.
	Understructure / Base	Made up of MS pipe 50 mm x 50 mm x 1.2 mm thick for vertical and beside - Centre block and outer ride with 25 mm x 25 mm x 2 mm thick MS pipe
Dimensions and Thickness	<b>Inside Length ± 15 mm</b>	1830 mm
	<b>Inside Width ± 15 mm</b>	1830 mm
	<b>Total Height (mm) ± 15mm</b>	2135 mm
	Size of Window ± 10 mm	760 mm x 915 mm
	Door Width ± 5 mm	760 mm, 915 mm
	Door Height ± 10 mm	1830 mm
	Size of Door handle	SS 302 Latch 200mm
	Size of Tower bolt	SS 304 125 mm
	Size of Aldrop	200 mm x 16 mm of SS 304
	Size of door hinges	100 mm of SS 304
	Size of Door / Window Chajja (projection if any) ± 10 mm	455 mm wide 45 degree slope
	<b>Roof projection (if any) ± 10 mm</b>	305 mm to be given on all sides at full height of cabins., 300 mm from the Eaves wall and 150 mm from the Gable walls., 380 mm to be given on all sides at full height of cabins., N.A
	<b>Total thickness of Wall panel ± 2 mm</b>	75 mm
	<b>Total thickness of Door panel ± 2 mm</b>	40 mm
	<b>Roof ridge height ± 10 mm</b>	Total height (i.e. height of side panels) + 610 mm, Total height (i.e. height of side panels) + 760 mm, N.A
	<b>Almirah / Cabinet size ± 5 mm</b>	760 mm x 405 mm x 750 mm, 760 mm x 405 mm x 1000 mm, 760 mm x 405 mm x 1220 mm, 760 mm x 405 mm x 1525mm, 760 mm x 405 mm x 1650 mm, N.A
Verandah size	N.A	
MISCELENIIOUS	Position of door	As per Buyer's choice
	<b>Electric fittings</b>	Only electric points to be provided for one fan - One light - One bulkhead fitting point - one 5 amp. power point with Switch board including Double pole MCB 20A with metal enclosure - continuous earth wires to be provided and also external earth terminal to be provided.
	Number of Doors	1
	<b>Number of Windows</b>	2 nos. windows

Specification	Specification Name	Bid Requirement (Allowed Values)
	Door opening	External
	<b>Roof ridge</b>	To be made out from 0.45 mm thick PPGI sheet., N.A
	<b>Flashing item (U track, L corner etc)</b>	To be made out with 0.45 mm thick PPGI sheet in require size and shape., N.A, As per Buyer's choice
	<b>Locking / Security</b>	Cabin have to be provision of locking Door and Windows to prevent unwanted intrusion and theft.
COLOUR AND FINISH	<b>Colour</b>	As per Buyer's choice
	<b>Top coat</b>	Chlorinated rubber paint 50 microns.
	<b>Paint outside</b>	As per Buyer's choice
	<b>Inside finish</b>	As per Buyer's choice
	<b>Logo (if any)</b>	Approved logo of desired size to be painted as per Buyer's requirement., No logo
WARRANTY	Warranty	1 - Year
CERTIFICATION	<b>Test reports to be furnished to buyer's on demand</b>	Yes
	<b>OEM of offered product is ISO 9001:2015 certified</b>	Yes, No
	<b>OEM of offered product is ISO 14001:2015 certified</b>	Yes, No
	<b>OEM of offered product is ISO 18001:2007 certified</b>	Yes, No

#### Additional Specification Parameters - Steel Porta Cabin ( 8 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Legs for the Porta Cabin	125mm (5") height four legs on all four corners
Hooks to shift the Porta cabin	Specially formed hooks are required for easy lifting and shifting
Number of windows	Total three windows are required (in general specification two are mentioned, one more is required)

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dinesh Kamila	575025,NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA SURATHKAL SRINIVASANAGAR	8	30

## Buyer Added Bid Specific Terms and Conditions

### 1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

### 2. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

### 3. Warranty

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

## Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---