

## OFFICE OF THE SUPERINTENDING ENGINEER WORKS ESTABLISHMENT SECTION

## <u>NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL</u>

POST SRINIVASNAGAR, MANGALURU - 575025 (DK)

Phone: [0824] - 2473029, 2473028 Fax: [0824] 2474033 Email: re@nitk.edu.in Website: http://www.nitk.ac.in

No.155/ Inviting Quotation /12/ 2022-23/DM

## **NOTICE INVITING QUOTATIONS**

The National Institute of Technology Karnataka, Surathkal (in short - NITK, Surathkal or Institute) is an autonomous Institute of the Govt. of India [under the Ministry of Education] imparting technical and science education. The Institute intends to "Providing Curved GI Duct for 750 kVA DG set installed in Power House 1". The details of work listed on the sheet enclosed. In this connection, sealed quotations are invited by the undersigned subject to the terms and conditions enumerated here under from the Contractor/ agencies so as to reach this office on or before 28.07.2022 by 3:30 PM. The quotations shall be opened on the same day if possible.

## **Terms and conditions:**

- The intending bidder shall quote his rates in the 'Quotation Format' enclosed here with either in his letter head or using the same format. He shall sign each page with seal of the firm. Envelope super scripted as Quotation for Providing Curved GI Duct for 750 kVA DG set installed in Power House 1 and addressed to as "The Superintending Engineer, NITK, Surathkal, Post Srinivasnagar, Mangaluru – 575025"
- 2. The GST registration number and the PAN number of the bidder shall be mentioned in the quotation. Quotation without this information will not be accepted.
- 3. Quotation may be dropped in the Tender Box kept in the office or may be sent by post/ courier. It is the responsibility of the bidder to make sure that the quotation is delivered in time. The quotations received after the due date will not be entertained. The rate quoted shall be valid for 90 days for its acceptance.
- 4. The bidder shall specify the make of material for which the rate is offered by him. The bidder may quote for multiple brands also. Complete technical details of the quoted item should be submitted along with the quotation.
- 5. Freight of Rate [F.O.R] NITK, Surathkal.
- 6. The quotation/ bid shall be accepted as a whole or parts thereof depending on the lowest rate quoted for individual items. The bidder shall supply the materials accordingly.
- 7. The work should be carried out within 15 days from the date of confirmation of acceptance of the quotation.
- 8. Tenderer shall refer the works details, specifications and drawings enclosed separately. The work should be strictly as per the specification specified, without which the work will be rejected.
- 9. No advance payment will be made. The payment shall be made within 30 days from the date of completion of work. No interest will be paid for delayed payments if any.
- 10. The bidders may visit the site and see the work requirements as per the site conditions (detailed drawing enclosed) and quote the rate accordingly. The agency must refer to all items, not a single item of work considered.
- 11. The rate quoted should be firm. No claim for enhancement of rate is admissible after opening of the Quotations.
- 12. The bidders should quote rates in the **quotation format** enclosed along with this document.
- 13. The Institute reserves the right to cancel the quotations accept any quotation other than the lowest or modify the quantity of the work at any time after/ before opening of the quotation. The bidder shall have no claim in this regard.
- 14. Terms and conditions stipulated in this notice inviting conditions are binding on the bidder.

Sd/-Superintending Engineer NITK Surathkal

Date: 20.07.2022

Name & Address of the Contracto	r:	
Contact No:		
GST registration number:		
PAN number:		
		Date:
No:		
	<b>QUOTATION</b>	
То		

The Superintending Engineer, Works Establishment Section N.I.T.K., Surathkal.

SI. No	Description of the items	Quantity	Rate without tax in ₹ / Sq. ft	GST	Amount with tax in ₹
1	Fabrication and installation of ducts for 750 kVA DG set Acoustic hot air vent as per the approved drawings. The ducts shall be fabricated of GI sheets as per IS 655 and GI flanges. The ducts shall be supported over MS angle supports of 25X25X3mm thick MS angles with due vibration isolation with neoprene rubber isolators of 2 layers of 12mm each - 20G. All labour, materials, tools &plants, all lead & lifts etc. Complete as directed by the engineer in charge.	28.44 sqm			
	Approximate size of Duct				
	D1: Approx. 7'L x 6'W x 3'H = 126 Sq. ft. D2: Approx. 5'L x 6'W x 3'H = 90 Sq. ft. D3: Approx. 5'L x 6'W x 3'H = 90 Sq. ft.				
	Approximate area = 306 Sq. ft.= 28.44sqm				
2	Supplying and fixing of Axial Flow Fan of 1 HP, 1400 RPM, operating voltage of 440 V 3 phase AC supply, heavy duty including angle frame work, dismantling of acoustic panel near Alternator of DG set and making cuttings to the panel and installation of the same with necessary labour, tools and plants	1 No			
	Grand Total Amount ₹				

